T-150 P0025/0031 F-995

Division of Health Care Facilities								
STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION A. BUILDING B. WING		(X3) DATE SURVEY COMPLETED 11/15/2012		
								MAINE OF LICOADER ALL DRIVERS
NHC HEALTHCARE, CHATTANOOGA CHATTANO				OOGA, TN	37404			
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)			ID PREFIX TAG	ΓΕΛΟΗ CORRECTIVE ACTION SHO	VIDER'S PLAN OF CORRECTION CORRECTIVE ACTION SHOULD BE EFERENCED TO THE APPROPRIATE DEFICIENCY)		
N 000; Initial Comments			N 000					
	During the annual Licensure survey conducted on November 12-15, 2012, no deficiencies were cited under chapter 1200-8-6, Standards for Nursing Homes.							
	This page intentionally left blank		iy					
				- Carl Park Park Park Park Park Park Park Park				
						·		
Division of H	ealth Care Facilities	X//	<u></u>		AM. TITLE	1 1	(X6) DATE	

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

ATE FORM

100

If continuation sheet 1 of 1